

PO Box 16017 Hornby Christchurch 8441 Phone: 03 344 0260 Fax: 03 349 8732

info@agrippapaints.co.nz www.agrippapaints.co.nz

Safety Data Sheet PAVEMAX ACRYLIC PAVING PAINT

1. Identification of Material and Supplier

Product Name: Pavemax Acrylic Paving Paint

Product Code: PV

Other Names: Water Based Paving Paint

Recommended Use: Paving Paint applied by brush, roller, speed pad or spray to walk on surfaces.

Company: Agrippa Paints Ltd

Address: PO Box 16017, Hornby, Christchurch 8042 Emergency Telephone: (03) 344 0260 ask for Technical Manager 24/7 EMERGENCY ONLY - 0800 245 345

Telephone/Fax number: Tel: (03) 344 0260 Fax: (03) 349 8732

New Zealand National Poison Centre: 0800 POISON (0800 764 766)

2. Hazards Identification

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017

Signal Word Danger / Warning

Hazard Classification: Eye irritation category 2

Skin sensitisation category 1 Skin irritation category 2

Specific target organ toxicity (repeated exposure) category 2 Hazardous to the aquatic environment chronic category 3

Pictogram





Hazard Statements Causes serious eye irritation

May cause an allergic skin reaction

Causes skin irritation

May cause damage to organs through prolonged or repeated exposure

Harmful to the aquatic life with long lasting effects

Prevention P261: Avoid breathing vapour

P272: Contaminated work clothing should not be allowed out of the workplace

P280: Wear protective gloves, protective clothing/eye protection

P260: Do not breathe vapour

P264: Wash thoroughly after handling P273: Avoid release to the environment

Response P302+352: IF ON SKIN: Wash with plenty of water

P321: Specific treatment - See section 4

P362+P364: Take off contaminated clothing and wash before reuse P333 +P313: If skin irritation or rash occurs: Get medical advice/attention

P314: Get medical advice/attention if you feel unwell

 ${\sf P305+P351+P338: IF\ IN\ EYES: Rinse\ cautiously\ with\ water\ for\ several\ minutes.}$

Remove contact lenses, if present and easy to do so. Continue rinsing P337+P313: If eye irritation persists: Get medical advice/attention

Disposal P501: Dispose of contents/container in accordance with local government regulations

Safety Data Sheet

PAVEMAX ACRYLIC PAVING PAINT

3. Composition/information of Ingredients			
Ingredients:	CAS Reg No:	Approx Proportion	WES (TLV)
Polymers	Non Hazardous	Med (10-60%)	None Established
Ethylene Glycol	107-21-1	Low (1-10%)	50ppm
APEO	60864-33-7	Trace (0-1%)	10mg/M ³
Ammonium Hydroxide	1336-21-6	Trace (0-1%)	25ppm
2-Butoxy Ethanol	111-76-2	Low (1-10%)	None Established
Isothiazolinones	Mixture	Trace (0-1%)	0.05mg/M ³
Water	7732-18-5	Med (10-60%)	None Established
Inorganic Pigments*	Mixture	Low (1-10%)	10mg/M ³
*(Metal Oxides vary with colour)			•
Ingredients determined not to be hazardous		Balance	

4. First Aid Measures

Inhalation: Irritating to mucous membranes and respiratory system. Provide fresh air, give

oxygen or artificial respiration if breathing laboured

Ingestion: Do not induce vomiting.

Give 1-2 glasses of water and if you are concerned seek medical attention.

Skin: Immediately remove all contaminated clothing, including footwear.

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

Eye: Flush eye thoroughly with copious amounts of water for at least 5 minutes. Retract

eyelids frequently. Remove contact lenses if present and easy to do so. Seek

medical attention if irritation persists.

Advise to doctor: Treat symptomatically.

Health Effects

Inhalation: Irritating to mucous membranes and respiratory system

Ingestion: Can be harmful if swallowed

Skin: Mildly irritating to skin upon repeated or prolonged contact

Eye: Irritating to eyes

Long Term Hazard: May cause damage to organs through prolonged or repeated exposure

5. Fire Fighting Measures

Extinguishing media: Not Combustible.

Foam dry chemical, carbon dioxide. Water spray or fog.

Specific Hazards: Not Flammable Special Fire fighting Procedures: Not Flammable

Special protective equipment: Wear full protective clothing and self contained breathing apparatus.

Use equipment/media appropriate to surrounding fire conditions.

Decomposition Products: Carbon Dioxide and other pyrolysis products typical of burning organic material.

Flammable limits: In air (%vol) LEL: N/A UEL: N/A

Hazchem code: N/A

6. Accidental Release Measure

Emergency Procedures:

Absorb with sand or earth. Shovel up and place in a labelled, sealable container for subsequent disposal. Flush the contaminated area with plenty of water. Dyke spill and transfer to a salvage tank if possible. Absorb remainder with sand or earth and

shovel to sealable containers for disposal. Could contaminate waterways.

Contaminated absorbent to be deposited in a secure landfill in accordance with Local

Government regulations.

7. Handling and Storage

Store Temperatue: Maximum 40°C - Minimum 1°C Container Type and Material: Test Pots, 1L, 4L plastic containers

Safe Handling Avoid all personal contact, including inhalation.

DO NOT allow clothing wet with material to stay in contact with skin.

Safety Data Sheet

PAVEMAX ACRYLIC PAVING PAINT

8. Exposure Controls/Personal Protection

National Exposure standards: N/A

Biological Limit Values: No biological limit values available for this product.

Engineering Controls: Not ordinarily required other than following normal "good use practices" for when

using paint related products.

Respiratory Protection: A mask is recommended if applying with a sprayer.

Eye Protection: Safety googles or splash mask. Hand Protection: Butyl or Nitrile rubber gloves.

May produce skin sensitisation in predisposed individuals.

Body Protection: Overalls.

9. Physical and Chemical Properties

Appearance: Liquid

Colour: As per colour label Odour: Slight ammoniacal

Melting Point: N/A

Boiling Point: 100°C approximately
Solubility in Water (g/l): Insoluble but dispersible pH (as supplied): 9.0 approximately

Flash Point: N/A

Flammability Not Flammable (dry film will burn)

10.Stability and Reactivity

Chemical Stability: Stable

Conditions to Avoid: Waterways contamination

Incompatible Materials:

Hazardous Decomposition Products:

Hazardous Polymerization:

Not known

None

Will not occur

11. Toxicological Data

Acute Toxicology:

Inhalation - No significant signs or symptoms indicative of any health hazard are expected to

occur as a result of inhalation exposure.

Ingestion - No significant signs or symptoms indicative of any health hazard are expected to

occur as a result of small ingestion.

Skin - No significant signs or symptoms indicative of any adverse health hazard are

expected to occur as a result of skin exposure.

Eye - Not known. May irritate the eyes.

Chronic Effects - Not known.

Genetic Toxicology: N/A
Reproductive Toxicology: N/A

12. Ecological Information

Ecotoxicity: Avoid discharge into waterways.

Persistence and degradability:

Mobility:

No information available for this product.

No information available for this product.

Environmental Fate:

Avoid contaminating waterways.

Bioaccumulative Potential: No information available for this product.

13. Disposal Considerations

Waste Disposal: Follow Local Government regulations for disposal of the waste. Avoid discharge into

stormwater drains, sewers and waterways, contact the Local authorities if this occurs.

14. Transport Information

Transport information New Zealand: No special precaution necessary other than to ensure good packaging practices are

followed to ensure if damaged does occur, no contamination of other products occur.

UN Number: N/A
Proper Shipping Name: N/A
DG Class: N/A
Hazchem Code: N/A
Packing Group: N/A

Safety Data Sheet PAVEMAX ACRYLIC PAVING PAINT

15. Regulatory Information

Hazard Classifications New Zealand: Group Standard: HSR002670

Toxic Substance Schedule: N/A

16. Other Information

Revision Date: SDS Reviewed Sept 23 Legend to abbreviations and Acronyms: N/A = Not Applicable

C = Celsius

WES = Work Exposure Standard TLV = Threshold Limit Value LEL = Lower Explosive Limit UEL = Upper Explosive Limit

Literature References:

No data available
Sources for Data:

No data available

Disclaimer

"This technical information is given in good faith, based on our experience and tests. However, subject to any implied terms, conditions, or warranties imposed by the Consumer Guarantees Act 1993 the recommendations and suggestions herein are made without guarantee, as application conditions are out of our control. Adequate tests should be made to ensure product or recommendations suitability".

"There shall be no right of redress against the manufacturer under the Consumer Guarantees Act 1993 in respect of goods which fail to comply with any express guarantees made by the manufacturer in relation to the information contained herein where the goods have failed for reasons beyond the control of the manufacturer".

"Nothing in the Consumer Guarantees Act 1993 relating to any express guarantees made by the manufacturer in relation to the information contained herein shall apply where the purchaser of the goods will use those goods for business purpose or any other purpose which is not a domestic purpose".