

MASTERMAX™

Proudly made by Agrippa Paints Ltd
Christchurch, New Zealand
Phone 0800 300 585 • www.MASTERMAX.co.nz

GET-GONE

2-in-1 Fungicidal Treatment and General-purpose maintenance cleaner

PRODUCT INFORMATION

DESCRIPTION:

GET-GONE 2-in-1 Fungicidal Treatment and general purpose maintenance outdoor cleaner to clean, treat and control mould, moss, lichen & algae. Supplied as a concentrate in a ready to use hose end applicator pack means no premixing is required, ready to use from the container, simply connect & apply.

PROPERTIES:

Ready to use from the container, no mixing required, simply connect a garden hose and go. Ideal for both preparation and treat and leave applications. Bleach and Phosphate free. Easy DIY application

For paint preparation:

Use before application of MASTERMAX Paint and Stain products, you will need to scrub and clean the surface to ensure a good instant treatment in preparation for coating, preparation is key to the performance and longevity of the coating

For timber decks – We recommended the use of MASTERMAX PREPMAX for preparation work as it is specially formulated for decking applications prior to coating.

For General purpose maintenance:

Ideal apply clean, treat and leave product, simply spray on and leave it to do its job, no scrubbing needed.

Helps to maintain the longevity of stained and painted finishes.

Can also be used to clean decks for maintenance purpose only.

PRINCIPAL USES:

Treats and cleans dirt, mould, moss, lichen & algae. Suitable for cleaning of Decks, Concrete Surfaces, Brickwork, Pavers, Painted Surfaces, Iron, Metal, Terracotta Tiles, Timber and Wood. Also suitable for preparation and maintenance cleaning of all roof surfaces.

LIMITATIONS:

Not suitable for Deck preparation prior to staining or painting – we recommend MASTERMX PREPMAX as this product provides better penetration by opening up the timber fibres.

NOT to be added to paints or mix with other chemicals.

It is not recommended to degrease surfaces.

BEFORE USING:

Ensure you read and understand **ALL** instructions (especially the safety and first aid information) on container. We highly recommend to download the safety and technical data sheets before use via the QR code of the bottle or go to our website.

For best results avoid applying in direct sunlight as it causes a rapid evaporation. Apply on an overcast day or in the morning or evening and ensure minimal wind.

Don't use if rain is expected within 12 hours – only applies when using for general purpose maintenance clean, treat and leave application.

Always test product application in an inconspicuous area for all surfaces. If any changes occur, discontinue use immediately. If unsure, ask the supplier to confirm with the manufacturer.

DO NOT allow spray, rinse or run off to come in contact with plants, animals, pools or ponds as may kill aquatic life.

For lawns, gardens and plants, it is a good idea to keep all surrounding areas well saturated with water during the cleaning process to dilute the rinsing off water.

DO NOT apply in weather conditions, that may cause spray drift onto nearby susceptible plants/crops, cropping lands or pastures.

DO NOT allow children, pets or animals to enter treated areas until spray has fully dried.

When using on roofs that are used for collection of drinking water, to flush any residue away, ensure the water supply is disconnected until a minimum of 5 significant rainfalls or 30 mm of rain has.

Note - this product is NOT TO BE USED FOR ANY PURPOSE OR IN ANY MATTER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION or the Manufacturer is writing.

APPLICATION DATA:

Wear suitable and adequate eye protection, overalls, footwear, waterproof gloves. Also refer to safety data sheet before use for detailed precautions and handling information.

Use of a hose end applicator pack:

Shake contents well and connect to your garden hose.

Turn nozzle from OFF position to WATER position, check tap pressure and adjust it to medium-high.

When ready – turn to SPRAY position, spray onto a dry surface and saturate the area to be treated.

Turn to OFF for storage and disconnect the hose.

We recommend you use this product sparingly due to its high concentration, a single swoop motion during application will suffice.

For paint preparation:

Remove all excessive dirt, grease and oil before applying. Use straight from the bottle using the Hose End applicator to saturate large enough surface you can scrub before whilst surface remains wet.

Scrub the surface vigorously using a stiff nylon bristle broom or hard bristle scrubbing brush to loosen contaminants then wash off with copious quantities of water or water blasting. For best results, use of water blasting is recommended on hard substrates. Make sure water blasting is done in a mode suitable for the surface you are working on.

For timbers or soft materials we don't recommend heavy water blasting as it can "fluff" the timber surface, use a low-medium pressure wash down and/or scrubbing.

Always clean from the highest point down and if high pressure washing use a soft even fan-shaped water jet. Do not use turbo heads. Scrubbing during low pressure washing (garden hose) will be required to remove surface contaminants.

Thoroughly clean equipment with water immediately after use.

For General purpose maintenance:

Apply to the surface using the hose end applicator saturating the area to be treated, then leave it to do its job.

After application black mould may turn orange. This will wash away after a few rainfalls.

Some mould, moss, lichen & algae can take up to 6-8 weeks to show any sign of decay when used as a clean, treat and leave application.

Heavily contaminated surfaces may take up to 6 months to come clean. Reapplication may be required for heavy growth.

Clean-up: Wash equipment with cold water.

Protect our Environment – When disposing of leftover liquid, keep out of stormwater drains and waterways. Dispose according to local council regulations. Dry all empty containers in a well ventilated area. Recycle the empty containers according to your local council regulations.

GENERAL DATA

Theoretical Coverage: GET-GONE Hose End 2.5 litre will give you coverage of approximately 430m².

This, however, is dependent on the water pressure (after adjusting from medium to high pressure done on the hose end unit in WATER mode), and the application technique.

We recommend you use this product sparingly due to its high concentration, a single swoop motion during application will suffice, when using as a general purpose maintenance clean.

Application Temperature: Avoid applying to hot surfaces over 25°C and in direct sunlight.

Shelf Life: Store in cool conditions, away from direct sunlight. Under normal conditions full containers can be stored for several years. Check contents before use.

Specific Gravity: 1 g/cm³

Sizes Available: 2.5 litres with hose end

The information concerning the use and application of this product is supplied in good faith, based on our experience and tests. However, subject to our standard Terms & Conditions of Sale (available on request) and any implied terms, conditions, or warranties imposed by the Consumer Guarantees Act 1993 the recommendations and suggestions herein are made without guarantee, as application conditions are out of our control. Adequate tests should be made to ensure product or recommendations suitability. We reserve the right to alter product or specification without notice. "There shall be no right of redress against the manufacturer under the Consumer Guarantees Act 1993 in respect of goods which fail to comply with any express guarantees made by the manufacturer in relation to the information contained herein where the goods have failed for reasons beyond the control of the manufacturer".

May 2024